



Vetro
SALICE

ENG

Vetro

Vetro, a family of hinges, mounting plates and accessories that covers all hinge applications in cabinets with glass or mirrored doors and sides.







Application with Universal hinges (CBG) for glass doors: glass door and side.

Mounting plate BAGHR59/31 to be attached to glass or mirror. No drilling of the glass is required.

Hinge:
 "K" from 0 to 22 mm.
 110° opening.

- Available version:**
- with integrated soft-close
 - sprung hinge
 - with Push opening
 - unsprung hinge





Application with Universal hinges (CBG) for glass doors: glass door and wooden side.



Domi mounting plates to be screw-fixed to the cabinet side.

Hinge:

"K" from 0 to 22 mm.
110° opening .

Available version:

- with integrated soft-close
- sprung hinge
- with Push opening
- unsprung hinge





Application with Series 200 hinges for glass doors: glass door and side.

Mounting plate BAGHR59/32 to be attached to glass or mirror. No drilling of the glass is required.

Hinge:

Hole diameter 26 mm.

94° opening.

For use with glass from 4 mm to 6 mm thickness.


Possible drilling distance on the door "K" from 5.5 to 6.5 mm.

Sprung hinge.



Covers are available in the following colours:

- Black
- Lacquered black
- White
- Bright gold effect
- Gold effect
- Bright chrome
- Silver effect



Assembly example



**Application with Series 200 hinges for glass doors:
glass door and wooden side.**

Domi mounting plates to be screw-fixed to the cabinet side.

Hinge:

Hole diameter 26 mm.

94° opening.

For use with glass from 4 mm to 6 mm thickness.



Possible drilling distance on the door "K" from 5.5 to 6.5 mm.

Sprung hinge.




Covers are available in the following colours:

- Black
- Lacquered black
- White
- Bright gold effect
- Gold effect
- Bright chrome
- Silver effect



Assembly example



Application with Universal hinges (CBA) for wooden doors: wooden door and glass side.

Mounting plate BAGHR59/31 to be attached to glass or mirror. No drilling of the glass is required.



Hinge:

9 mm deep metal cup.
110° opening.
Possible drilling distance on the door "K" from 3 to 18 mm.



Available version:

- with integrated soft-close
- sprung hinge
- with Push opening
- unsprung hinge



Assembly example




**Application with hinges for wooden doors:
wooden door and glass side.**

**Mounting plate BAGHR59/31 to be attached to glass or mirror.
No drilling of the glass is required.**

Hinge for wooden doors.

This application can be solved with all Series 100, 200, F, 400 and Silentia+ hinges.






Application with hinges for wooden doors: glass door and wooden side.

Mounting plate BAGHR59/31 to be attached to glass or mirror. No drilling of the glass is required.

Hinge for wooden doors.


This application can be solved with all Series 100, 200, F, 400 and Silentia+ hinges.



BAGHR59/31



BAGHR59/32



Disclaimer

Salice mounting plates BAGHR59 and Series B (CBG) hinges have been developed for use on glass doors and mirrors.

Salice will accept no responsibility for any problems associated with the type of adhesive or method of application when used in conjunction with Series B hinges, nor for any consequences of the incorrect mounting of the door.

It is recommended that the selected adhesive is subjected to prior testing.

The adhesive may be considered appropriate if the plate, when fixed to the glass, can sustain a minimum torsion load of 160 Nm.

Screw cover caps.

S2BX83H9



Symmetrical steel screw cover cap, it can be personalised on request.

S2MX83H9



Symmetrical steel screw cover cap with embossed logo.

Flange cover cap.

SBXX85X_



Plastic flange cover cap for Series B hinges.

Available colours:

SBXX85X9 = Nichel-plated

SBXX85X6 = Titanium

Hollow cover for Smove.

SBAX78A6SN



ARTURO SALICE S.p.A.

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424 - FAX 031 791508
info.salice@salice.com - www.salice.com

DEUTSCHE SALICE GMBH

RUDOLF DIESEL STR. 10
POSTFACH 1154
74382 NECKARWESTHEIM
TEL. 07233 9807-0
FAX. 07233 9807-16
info.salice@deutschesalice.de
www.salice.com

DEUTSCHE SALICE GMBH

VERKAUFSBÜRO NORD
RINGSTRASSE 36/A30 CENTER
32584 LÖHNE
TEL. 05731 15608-0
FAX. 05731 15608-10
vknord@deutschesalice.de
www.salice.com

SALICE UK LTD.

KINGFISHER WAY
HINCHINGBROOKE BUSINESS PARK
HUNTINGDON CAMBS PE 29 6FN
TEL. 01480 413831
FAX. 01480 451489
info.salice@saliceuk.co.uk
www.salice.com

SALICE FRANCE S.A.R.L.

ROUTE DE GOA ZAC LES 3 MOULINS
06600 ANTIBES
TEL. 0493 330069
FAX. 0493 330141
info.salice@salicefrance.com
www.salice.com

SALICE ESPAÑA, S.L.U.

CALLE COPÉRNICO, 11
POLÍGONO INDUSTRIAL COLL DE LA MANYA
08403 GRANOLLERS (BARCELONA)
TEL. 938 45 88 61
FAX 938 49 11 97
info.salice@saliceespana.es
www.salice.com

SALICE PORTUGAL UNIP. Lda

VIA ROTA DOS MÓVEIS | n°399
4585-325 GANDRA-PRD (DIST. PORTO)
PORTUGAL
TEL. 0351 910077406
saliceportugal@salice.com
www.salice.com

SALICE CHINA (SHANGHAI) CO. LTD.


1st FLOOR, B1 BLDG 928 MINGZHU ROAD
XUJING, QINGPU DISTRICT
SHANGHAI 201702 - CHINA
Tel. 021 3988 9880
Fax 021 3988 9882
info.salice@salicechina.com
www.salicechina.com

SALICE CANADA INC.

3500 RIDGEWAY DRIVE,
UNIT#1
MISSISSAUGA, ONTARIO, L5L 0B4
TEL. 905 8208787
FAX. 905 8207226
info.salice@salicecanada.com
www.salicecanada.com

SALICE AMERICA INC.

2123 CROWN CENTRE DRIVE
CHARLOTTE NC. 28227
TEL. 704 8417810
FAX. 704 8417808
info.salice@saliceamerica.com
www.saliceamerica.com



Digital contents:

- **Technical pamphlet in Pdf format**